

It appears that these units are not listed in RCRAInfo now (12-5-13)
- these were identified to be on the initial controls baseline

It appears that these units are
- these were identified to be on

FACILITY_ID	unit seq #	
VA8170024170	7	initial controls
OHD980681571	1	initial controls
CAD041835695	3	initial controls
CAL000160729	1	initial controls
CAD060897063	7	initial controls
CAL000115947	1	initial controls
CAT000646117	13	initial controls
CAD059494310	34	initial controls
CAD981402522	2	initial controls
CAD982321879	1	initial controls
CAD003963592	19	initial controls
CAD003963592	21	initial controls
CAD097854541	1	initial controls
CAD097854541	10	initial controls
CAD097854541	31	initial controls
CAD097854541	32	initial controls
CAD097854541	33	initial controls
CAD982444481	11	initial controls
CAL000013493	1	initial controls
CAD058412842	2	initial controls
CAD058412842	3	initial controls
CAL000827742	1	initial controls
CAR000000489	1	initial controls
CAD982510281	1	initial controls
CAD008275885	2	initial controls
CAD983604000	1	initial controls
CAD980818645	1	initial controls
CAD983661661	1	initial controls
CAD982041980	1	initial controls
CAD041520644	1	initial controls
CAD076528678	5	initial controls
CAD076528678	6	initial controls
CAD076528678	17	initial controls
CAD076528678	18	initial controls
CAD076528678	19	initial controls
CAD076528678	20	initial controls
CAD076528678	21	initial controls
CAD076528678	22	initial controls
CAD076528678	23	initial controls
CAL930834777	1	initial controls
CAD040370645	1	initial controls
CAD980888598	5	initial controls

FACILITY_ID	unit seq #
CTD990672081	1
MDD003067121	1
MDD980555189	3
MD6150004095	5
MD6150004095	6
MD6150004095	7
MD6150004095	8
MD6150004095	9
MD6150004095	10
MD6150004095	11
MD6150004095	13
MD4170024109	1
MD4170024109	3
MD4170024109	5
KY8890008982	25
KY8890008982	26
TND980847024	13
TND003095635	6
ILD064418353	5
ILD000666206	8
ILD000666206	13
ILD000666206	15
IL6890030046	1
OHD980613541	6
TXD010791184	37
IAR000005876	3
IAR000005876	4
IAR000005876	5
WA7890008967	49
WA7890008967	77

CAD980888598	6	initial controls
CAL920235089	1	initial controls

not listed in RCRAINfo now (12-5-13)
n the initial controls baseline

[illegible]